Tiemann Landtechnik GmbH & Co. KG

Tiemann Premium Used
Rudolf-Diesel-Straße 7
27419 Sittensen

Tel.: (0 42 82) 50 90 – 900
Fax:

John Deere 9600 mit Kemper 475 Plus

Printout from: 24.11.2026

Internal reference number for your request:
MXJD283CZ/0001

Year of manufacture:	2022
Design:	Forage Harvester
Category:	Forage Harvester
Power:	579 kW (787 HP)
Operating hours:	1765

Price on demand





Detail overview

An overview of the equipment features and the property description can be found on the following page.

Equipment

Drive	hydrostatic
All Wheel	✔
automatic leaning device	✔
Autopilot	✔
On-board computer	✔
electric counterblade	✔
electric grinder	✔
hectare counter	✔
Cabin	✔
Air conditioning	✔
Grain processor	✔
Maize attachment	✔
Corn Bite Rows	10
Rear tyre	620/75R30
Rear tyres in %	70
Tyres in front	800/70R38
Tyres in front in %	70
Central lubrication	✔
Technical condition	Good

Description

• John Deere 9600 field chopper
• ----------
• ohne-ams-komponenten
• ----------
• Fahrgestell/Serien-Nr.: 1Z09600YJNU623065Â
• Tires, front: 800/70R38Â
• Tires, rear: 620/75R30Â
• I-preparationÂ
• Steering system preparationÂ
• JDLink modemÂ
• Display and preparation for universal display
• Premium seat with leather cover
• Premium bike packageÂ
• Two rear view mirrors, electrically adjustable and heatedÂ
• Premium lighting package (LED)
• ProDrive gearbox in 40 km/hÂ
• Four-wheel drive version - ProDrive, full anti-slip control
• AHC - Preparation for harvesting header control
• Automatic header clutch Dual header drive
• Dura Line Premium
• 64 Knife drum
• High ejector for 8 rows and pickup
• Semi-automatic hitching device
• Additional panel weight with 720 kg ballast (12 pieces per side)
• Fire extinguisher package
• Curbside mirrorÂ
• Rear cameraÂ
• Package for deluxe maintenance lightsÂ
• Premium worklight package (LED)
• LED rotating beacons
• RefrigeratorÂ
• Wiper and washer system for side windowsÂ
• Display mounting railÂ
• Silage hopper and metering system, 325l tankÂ
• Double line dosing system for silage additive, 30l tankÂ
• Air compressor kit
• StalkBuster preparationÂ
• Stone detection systemÂ
• Pre-press roller protection device
• Knife drum re-cutting floor
• Crane for removing the bead processor
• Temperature monitoring for bearings from the grain processor
• Automatic positioning of the ejection scraper
• ProTouch - automatic road/field preparation
• Ejector crusher camera
• ----------
• Kemper mowing attachment 475 plus with additional chassis 400F

• Attachment 9000 standard channelÂ
• HeavyDuty package
• Automatic clutch
• autom. height guide AHC
• RowSense steering aid
• Guide brackets for plants that have fallen into each otherÂ
• ----------
• Price is valid for existing condition. Offer subject to change. Errors, changes and prior sale reserved. All information without warranty.
• Â
• Â
• Â
• Â